INDEX TO VOLUME 85

Names of contributors are printed in CAPITALS. Names of new genera, species, varieties, forms and combinations are printed in **bold face.** Numbers in *italic* refer to pages on which the name is listed as a synonym. Numbers in **bold face** refer to pages on which the name is accompanied by a description or illustration.

Acacia, 5, 15, 16, 19, 26, 98, 100, 101, 405, 406; *catechu*, 407, 408, 411, 413; *retinodes*, 406
Acalypha, 139
Acanthonema strigosum, 314
Acarospora fuscata, 182, 183, 184, 185, 187
Acer mono var. *ambiguum*, 72; *rubrum*, 182
Adiantum capillus-veneris, 2; *pedatum*, 2, 3
Aegopogon, 180
Aeschynomene, 407, 411, 414; *brasiliana*, 408; *elegans*, 408; *indica*, 408; *pratensis*, 408; *sensitiva*, 408; *virginica*, 408
Aesculus, 360, 362
Agastache, 139
Agrimonia pubescens, 73
Agrocybe aegerita, 324, 332
Albizzia julibrissin, 405, 406, 407, 408, 411; *lophantha*, 408, 413
Alchemilla microcarpa, 140
Alsophila australis, 2
Amelanchier canadensis, 383
Amoeba, 477
Amorpha fruticosa, 409
Anacharis, 461, 462
ANDRESEN, JOHN W.: (Review) 75
Andropogon, 44, 180; *affinis*, 56; *controversus*, 55; *laxus*, 55; *miliaceum*, 54; *propinquus*, 56; *scoparius*, 40, 42, 43, 48
Antennaria, 378
Apocynum cannabinum, 73
Arachis, 341; *aprica*, 341
Aralia Cachemirica, 72
Arenaria patula f. *Pitcheri*, 125
Arissaema triphyllum, 73
Aristida, 180, 181
Arrhytidia, 103, 107; *involuta*, 104; **lagerheimi**, 9, **104**
Arthraxon hispidus var. *cryptatherus*, 140
Arundinacea, 57
Ascidiota blepharophylla, 193
Asclepias quadrifolia, 72
Aspergillus niger, 401
Aspidium Tsussinense, 2
Asplenium platyneuron, 2
Aster divaricatus, 139; *lowrieanus*, 73; *macrophyllus*, 72, 74; *patens*, 72; *patens* var. *phlogifolius*, 73; *schreberi*, 72; *undulatus*, 73
Asteroxylon, 431
Astragalus, 379, 380, 382
Athyrium asplenoides, 2; *felix-femina*, 383; *thelypteroides*, 2, 23
Atriplex patula var. *hastata*, 74
Auricularia, 5, 10; *auricula*, 16, 17; *cornea*, 17; *mesenterica*, 6, 16, 17; *ornata*, 16; *peltata*, 16; *polytricha*, 16
Baccharis, 73
Backhousia, 121
Baeckea, 121; *crassifolia*, 121; *crassifolia* var. *pentamera*, 121; ramosissima, 121
BAILEY, PAUL C.: Differential chromosome segments in eight species of *Trillium*, 201
Baptisia australis, 409
Basisperma lanceolata, 121
Bassia hyssopifolia, 140
Bauhinia purpurea, 408, 409, 414; *tomentosa*, 408, 409, 414; *ungulata*, 408, 409, 414; *variegata*, 408, 409, 414
BEDESEM, JR. PAUL P.: Histogenetic effects of 2,3,5, Triiodobenzoic acid on the shoot apices and leaf primordia of tomato, 434
Begonia prolifera, 314; *sinuata*, 314
BEETLE, A. A.: *Piptochaetium* and *Phalaris* in the fossil record, 179
Bellis perennis, 435
BERGER, C. A., E. R. WITKUS AND R. M. MCMAHON: : Cytotaxonomic studies in the Leguminosae, 405
BIEBERDORF, F. W., C. L. SHREWSBURY, H. C. MCKEE AND L. H. KROUGH: Vegetation as a measure indicator of air pollution Part I. The pine (*Pinus-taeda*), 197
BIERHORST, DAVID W.: Systematic changes in the shoot apex of *Psilotum*, 231; The tracheary elements of *Equisetum* with observations on the ontogeny of the internodal xylem, 416
Blepharidachne, 180
Blepharoneuron, 180
Blumei, 435
Book Reviews, 74, 141, 216, 273, 384, 491
Boschia, 111
Botrychium, 1; *dissectum*, 2
Botrytiscinera, 401
Bourdotia, 19, 23, 27, 89, 90, 102
Bouteloua, 180

INDEX TO VOLUME 85

Names of contributors are printed in CAPITALS. Names of new genera, species, varieties, forms and combinations are printed in **bold face.** Numbers in *italic* refer to pages on which the name is listed as a synonym. Numbers in **bold face** refer to pages on which the name is accompanied by a description or illustration.

Acacia, 5, 15, 16, 19, 26, 98, 100, 101, 405, 406; *catechu*, 407, 408, 411, 413; *retinodes*, 406
Acalypha, 139
Acanthonema strigosum, 314
Acarospora fuscata, 182, 183, 184, 185, 187
Acer mono var. *ambiguum*, 72; *rubrum*, 182
Adiantum capillus-veneris, 2; *pedatum*, 2, 3
Aegopogon, 180
Aeschynomene, 407, 411, 414; *brasiliana*, 408; *elegans*, 408; *indica*, 408; *pratensis*, 408; *sensitiva*, 408; *virginica*, 408
Aesculus, 360, 362
Agastache, 139
Agrimonia pubescens, 73
Agrocybe aegerita, 324, 332
Albizzia julibrissin, 405, 406, 407, 408, 411; *lophantha*, 408, 413
Alchemilla microcarpa, 140
Alsophila australis, 2
Amelanchier canadensis, 383
Amoeba, 477
Amorpha fruticosa, 409
Anacharis, 461, 462
ANDRESEN, JOHN W.: (Review) 75
Andropogon, 44, 180; *affinis*, 56; *controversus*, 55; *laxus*, 55; *miliaceum*, 54; *propinquus*, 56; *scoparius*, 40, 42, 43, 48
Antennaria, 378
Apocynum cannabinum, 73
Arachis, 341; *aprica*, 341
Aralia Cachemirica, 72
Arenaria patula f. *Pitcheri*, 125
Arissaema triphyllum, 73
Aristida, 180, 181
Arrhytidia, 103, 107; *involuta*, 104; **lagerheimi**, 9, **104**
Arthraxon hispidus var. *cryptatherus*, 140
Arundinacea, 57
Ascidiota blepharophylla, 193
Asclepias quadrifolia, 72
Aspergillus niger, 401
Aspidium Tsussinense, 2
Asplenium platyneuron, 2
Aster divaricatus, 139; *lowrieanus*, 73; *macrophyllus*, 72, 74; *patens*, 72; *patens* var. *phlogifolius*, 73; *schreberi*, 72; *undulatus*, 73
Asteroxylon, 431
Astragalus, 379, 380, 382
Athyrium asplenoides, 2; *felix-femina*, 383; *thelypteroides*, 2, 23
Atriplex patula var. *hastata*, 74
Auricularia, 5, 10; *auricula*, 16, 17; *cornea*, 17; *mesenterica*, 6, 16, 17; *ornata*, 16; *peltata*, 16; *polytricha*, 16
Baccharis, 73
Backhousia, 121
Baeckea, 121; *crassifolia*, 121; *crassifolia* var. *pentamera*, 121; ramosissima, 121
BAILEY, PAUL C.: Differential chromosome segments in eight species of *Trillium*, 201
Baptisia australis, 409
Basisperma lanceolata, 121
Bassia hyssopifolia, 140
Bauhinia purpurea, 408, 409, 414; *tomentosa*, 408, 409, 414; *ungulata*, 408, 409, 414; *variegata*, 408, 409, 414
BEDESEM, JR. PAUL P.: Histogenetic effects of 2,3,5, Triiodobenzoic acid on the shoot apices and leaf primordia of tomato, 434
Begonia prolifera, 314; *sinuata*, 314
BEETLE, A. A.: *Piptochaetium* and *Phalaris* in the fossil record, 179
Bellis perennis, 435
BERGER, C. A., E. R. WITKUS AND R. M. MCMAHON: : Cytotaxonomic studies in the Leguminosae, 405
BIEBERDORF, F. W., C. L. SHREWSBURY, H. C. MCKEE AND L. H. KROUGH: Vegetation as a measure indicator of air pollution Part I. The pine (*Pinus-taeda*), 197
BIERHORST, DAVID W.: Systematic changes in the shoot apex of *Psilotum*, 231; The tracheary elements of *Equisetum* with observations on the ontogeny of the internodal xylem, 416
Blepharidachne, 180
Blepharoneuron, 180
Blumei, 435
Book Reviews, 74, 141, 216, 273, 384, 491
Boschia, 111
Botrychium, 1; *dissectum*, 2
Botrytiscinera, 401
Bourdotia, 19, 23, 27, 89, 90, 102
Bouteloua, 180

Brachiaria, 180
BRIZICKY, GEORGE K.: The comparative anatomy and taxonomy of *Heteropyxis*, 111
BROOKS, KARL L.: Some additions to the flora of Rockland County, New York, 378
Broussonetia papyrifera, 77
BROWN, CLAIR A.: (Review), 145
Bryocladia, 63
Bryum, 239, 241
Buchloë, 180
Buellia stillingiana, 182, 183, 184, 185, 187
BUFFALOE, NEAL D.: A comparative cytological study of four species of *Chlamydomonas*, 157
Caesalpinia pulcherrima, 408; *granadillo*, 408; *sappan*, 408
Calamogrostis epigeios, 140
Callistemon, 121
Calothamnus, 121
Caltha palustris, 383
Calycocarpum Lyoni, 124
CAPPELLINI, RAYMOND: (Review), 142, 273
Caragana microphylla, 409
Carex aquatilis-bigelowii, 362; *aquatilis*, 359, 360; *bigelowii*, 359, 360, 361; *kobomugi*, 377; *stans*, 359, 360, 361; *stans-bigelowii*, 359, 361; *X nearctica*, 359
Carteria, 158; *crucifera*, 158, 165, 177
Carya, 139; *cordiformis*, 73; *tomentosa*, 73
Caryophyllaceae, 218
Cassia, 413, 414; *corymbosa*, 408, 409, 411, 413; *marilandica*, 406, 408, 409, 411; *medsgeri*, 408, 409, 411, 413; *nictitans*, 405; *tora*, 405
Castanea, 73
Cathestecum, 180
Caulerpa, 68
Ceanothus americanus, 73
CELARIER, ROBERT P.: Cytotaxonomic notes on the subsection Halepensia of the genus *Sorghum*, 49
Ceracea lagerheimi, 104
Ceratiomya, 28, 29, 30, 31, 35, 37; *fruticulosa*, 29, 36; *morchella*, 29
Ceratobasidium, 102
Ceratonia siliqua, 408, 409, 414
Ceratostomella, 99
Cercis chinensis, 407, 408, 409, 414
Cheilanthes lanosa, 2; *tomentosa*, 2
Chelidonium majus, 383
Chenopodium hybridum, 74
Chirita, 315, 321; *hamosa*, 314, 315, 320, 321, 323
Chlamydomonas, 157, 158, 159, 161, 174, 175, 176, 177, 178; *chlamydogama*, 160, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 176, 177; dilli, 157, 174; *dysosmos*, 159, 174; *eugametos*, 158, 159, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177; *moewusii*, 159, 160, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 174, 175, 176; *monadina*, 157, 175; *nasuta*, 157, 165, 174; *paupera*, 158, 174; *reinhardti*, 159, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 174, 175, 176; *variabilis*, 157, 174
Chlamydomonas, A comparative cytological study of four species of, 157
Chlorella, 177, 178, 382; *ellipsoida*, 175, 176
Chloris, 180
Chlorosplenium aeruginosum, 184
Cibotium glaucum, 2, 3
Cicer arietinum, 411
Cimicifuga, 72; *racemosa*, 74
Citrus limetta, 22, 98, 106
Cladonia cristatella, 186
Cladrastis lutea, 409
CLAUSEN, ROBERT T.: Embryology, breeding behavior and morphological characteristics of apomictic, triploid *Rubus idaeus* L., 242
Claytonia virginiana, 383
Coffea arabica, 106
Coleus, 462
Collinsonia, 72
Colutea melanocalyx, 409; *orientalis*, 409; *persica*, 409
Conocybe, 326, 327
CONSTANCE, LINCOLN: Two new *Eryngia* (Umbelliferae) from Santa Catarina, South Brazil, 255
Cornus amomum, 384; *florida*, 73
Corticium calceum, 397
Cotoneaster Lindleyi, 72
Cottea, 180
Crotalaria alata, 409
Cryptotaenia canadensis, 74
Crytomium falcatum, 2
Cuphea anagalloides, 120
Cuscuta gronovii, 72, 73; *obtusiflora*, 73; *pentagona*, 73
Cymbalaria muralis, 383
Cynanchum medium, 140
Cystopteris fragilis, 2
Cytisus scoparius, 409
Cytophyllopis, 326, 327
Dacrymyces, 11, 13, 104, 107, 108, 109; *applanatus*, 107; *deliquescens*, 11, 106,

107, 108, 109; *ellisii*, 107, 108; **intermedius**, 104, 106, **108**, 109; *palmatus*, 109; *paraphysata*, 106; **paraphysatus**, 9, 104, **106**; *san-augustinii*, 104, 106
Dacryopinax, 104; *spathularia*, 109
Datisca cannabina, 72
Delonyx, 411, 413, 414; *regia*, 406, 408, 409, 413
Dennstaedtia bipinnata, 2, 3; *punctilobula*, 2, 3, 383
Dentaria diphylla, 383; *laciniata*, 383
Deschampsia caespitosa, 40, 48
Desmodium, 341; *canadense*, 74; *cuspidatum* 73; *paniculatum*, 74; *sambuense*, 408
Dialium indica, 408, 409, 414
Diaporthe periciosa, 397
Dicentra cucullaria, 383
Dichapetalum pendunculatum, 314; *spruceanum*, 314
Didymium, 37; *difforme*, 29, 33
Didymocarpus pygmaea, 314
Dionaea, 124
Diplodia maydis, 397, 398, 399, 401, 402, 403; *zeae*, 397
Diplotaxis muralis, 74; *tenuifolia*, 74
Dissanthelium, 180
Distichlis spicata, 74
Dolichos lablab, 140
Dryopteris, 460; *dentata* 2, 3; *hexagonaptera*, 2, 3; *novaeboracensis*, 2, 3, 383
DUMAN, MAXIMILIAN G. AND SISTER DOLORES KRYSZCZUK: Introgressive hybridization in the *Carex stans-bigelowii* complex, 359
Eichhornia crassipes, 417
Eichleriella, 26, 94; *macrospora*, 94; *Sebacina farinaceae*, 26; *spinulosa*, 94
EINSET, JOHN: Embryology, breeding behavior and morphological characteristics of apomictic, triploid *Rubus idaeus* L., 242
Elatine triandra, 140
Elodea (*Anacharis*) *densa*, 462
Elsholtzia ciliata, 139, 140
Elymus arenarius, 140
Elyonurus, 180
Enneapogon, 180
Enterolobium timbouva, 408, 411, 413
Ephedra, 430
Epichloë typhina, 140
Epidermophyton floccosum, 365, 366
Epithema horsfieldii, 314
Equisetum, 1, 416, 419, 421, 422, 423, 426, 427, 430, 432; *arvense*, 383, 417, 420, 423, 424, 425, 426, 427, 429, 430, 431, 432; *fluviatile*, 417, 420, 424, 426; *giganteum*, 420, 421, 423, 426; *hyemale*, 2, 3, 417, 419, 420, 422, 423, 425, 426, 427, 429, 430, 431, 432; *kansanum*, 417, 419, 422, 423, 425, 426, 427, 428, 429, 439, 432; *laevigatum*, 417, 419, 422, 423, 425, 426, 427, 430, 432; *limnosum*, 426; *maximum*, 420, 421, 426, 427, 429; *palustre*, 417, 419, 421, 423, 424, 425, 426, 427, 429, 430, 431, 432; *pratense*, 417, 419, 423, 425, 426, 427, 429, 430, 431, 432; *scirpoides*, 417, 419, 421, 422, 423, 425, 426, 427, 429, 430, 432; *sylvaticum*, 417, 419, 422, 423, 425, 426, 427, 428, 429, 430; telmateia, 423; *variegatum*, 417, 419, 420, 421, 422, 423, 425, 426, 427, 429, 430, 432
Eriochloa, 180
Eryngium, 255; *ciliatum*, 257; **corallinum**, **257**, 258; *plantaginifolium*, 257; *Ramboanum*, 257; **Reitzii**, **255**, 256, 257; *Sanguisorba*, 257
Erythrina, lithosperma, 409, 411, 413
Erythrochiton hypophyllanthus, 314
Erythronium americanum, 383
Erythrophloeum guineense, 408, 409, 414
Eucalyptus; 121
Eugenia jambolana, 5, 13, 19, 94, 95, 99, 101
Euglena **anura**, 217; **calva**, 217; *Ehrenberg*, 216; *ehrenbergii* var. **teres**, 217; **inflata**, 217; *proxima* var. **parvula**, 217; **rhynchophora**, 216; **striato-punctata**, 217; *variabilis* var. **piriformis**, 217; **vittata**, 217
Euosmolejeunea, 188
Eupatorium, 47, 48; *rugosum*, 40, 41, 44, 47, 74; *rugosum* var. *Forma villicaule* 47; *rugosum* var. *roanense*, 47; *rugosum* var. *tomentellum*, 47; *sessifolium*, 72
Eusebacina, 19, 90, 91
Exidia, 18, 95; *alba*, 95; **rolleyi**, **95**, 97; *tremelloides*, 95
Exidiopsis, 90, 91; *fuliginea*, 90
FAIRBROTHERS, DAVID E.: A naturalized stand of Indian Lotus (*Nelumbo nucifera*) in New Jersey, 70
Ficus carica, 8
Field trip reports, 70, 273, 383, 489
Firmiana simplex, 71
Fomes, 5; *pinicola*, 397
Fraxinus xanthoxyloides, 72
Frullania tamarisci, 193; *jackie*, 193
Fusarium moniliforme, 401
Galax, 124
Galeropsis, 326, 327, 328, 332; *allosperma*, 327
Galium triflorum, 74

Genista monosperma, 409
Geocarpon, 124, 125, 126, 127; *minimum*, 124, 125, 127
Geranium nepalense var. *thumbergii*, 140
Gibberella zeae, 401
Gleditsia triacanthos, 408, 409, 414
Gloeotromera, 95
Gloeotulasnella, 102
Glycine max, 481
Gonium pectorale, 159
Gonypetalum tessmannii, 314
Graphiola, 7; *cocoina*, 7
Graphis scripta, 186
GRAVES, ARTHUR H.: (Review) 77, 487
Guepiniopsis, 108, 109; *minuta*, 109
Guizotia abyssinica, 140
GUNDERSON, ALFRED: Obituary, 484
Gymnocladus dioica, 408, 409, 414
HAENSELER, C. M.: (Review), 76
HALE, JR., MASON E.: Vitamin requirements of three lichen fungi, 182
Halepensia, 49, 57, 59
Helianthus giganteus, 74
Helicobasidium, 10, 11, 13, 14; **anomalum**, 13, 14, 20; *australe*, 6; *candidum*, 13, 14; *corticioides*, 14; *inconspicuum*, 14; *killermanni*, 14
Helicogloea, 10, 11, 14; **irregularis**, 13, 14; *farinacea*, 14; *largerheimi*, 14; *terminalis*, 14
Helminthosporium turcicum, 401
Helotium epiphyllum, 184
Helwingia, 315, 319, 320, 321, 322, 323; *chinensis*, 314; *japonica*, 314, 315, 317, 319, 320, 321, 322
Herniaria glabra var. *subsciliata*, 140
HESSELTINE, C. W. AND E. B. SNYDER: Attempts to freeze-dry pine pollen for prolonged storage, 134
Heterochaete, 18, 94; *delicata*, 9, 91, 93, 94; *livido-fusca*, 94; *shearii*, 91, 93
Heterochaetella, 19, 89, 90
Heteromyces, 102
Heteropyxis, 11, 112, 113, 114, 116, 117, 118, 119, 120, 121, 122; *canescens*, 112, 114, 115, 116; *natalensis*, 111, 113, 114, 115, 116, 117; *transvaalensis*, 112
HEUSSER, CALVIN J.: (Review), 386
Hibiscus, 94, 104; *palustris*, 74; *tiliaceus*, 5, 16, 18, 22, 24, 26, 89, 90, 93, 94, 98, 106, 108
Hieracium scabrum, 72
Hierochloë, 180
Hilaria, 180
Hippuris, 461
Holcus halepensis, 49, 57, 60, 61
HOLLENBERG, G. J.: Phycological notes II, 63
Houstonia minima, 125
Hutchinsia obscura, 65; *repens*, 65
Hydrangea scandens, 466
Hydrocharis, 461
Hydrolejeunea, 188, 189, 190, 193, 194, 195; **Alaskana**, 190, 191, 193, 194, 195, 196; aspera, 194; *bahiensis*, 195; *cerina*, 189, 194; *compacta*, 195; *corynantha*, 195; *cubensis*, 194; *deplanta*, 195; *devoluta*, 189; *discreta*, 188; *flavicans*, 194; *herzogii*, 194; *molkenboeriana*, 188; *obscura*, 195; *princeps*, 195, 196; *sacculata*, 194; *spongia*, 188; *tonduzana*, 195; *wrightii*, 194
Hydrolejeunea Alaskana Sp. N., A critical endemic of northern Alaska, 188, **190**
Hymenaea courbaril, 408, 409, 414
Hymenogloea, 330
Hyoscyamus, 462
Hypericum perforatum, 74
Hypocalymma, 121
Hyoscyamus niger, 462
Imperata, 180
Index to American Botanical Literature, 78, 146, 220, 301, 387, 494
Index to Volume 85, 504
Indigofera amblyantha, 409; *dosua*, 409
Inocarpus edulis, 5, 8, 100
Intsia bijuga, 408, 409, 414
Iola orthosacca, 14
Iris, 359
Iva xanthifolia, 140
JOHNSON, MARION A.: (Review), 145; The epiphyllous flowers of *Turnera* and *Helwingia*, 313
Juglans nigra, 73
Jussiaea uruguayensis, 140
Kalanchoe Blossfeldiana, 176, 178, 466; *daigremontiana*, 466; *Kirkii*, 466
KROUGH, L. H.: Vegetation as a measure indicator of air pollution Part I. The pine (*Pinus-taeda*), 197
KRYSZCZUK, SISTER DOLORES, 359
KUCERA, C. L.: Flowering variation in geographic selections of *Eupatorium rugosum* Houtt., 40
Kuehneromyces, 324
Kunzea, 121
KURTZ, JR., EDWIN B. AND JAMES L. LIVERMAN: Some effects of temperature on pollen characters, 136
Lactuca pulchella, 140
Lantana, 26
Lathyrus latifolius, 408, 411, 414; *maritimus*, 408; *odoratus*, 411, 414

Lecanora saxicola, 182, 186; *varia*, 186
Lechea minor, 74; *villosa*, 74
Lecidea, 186
LEE, ADDISON E.: Effects of various treatments in different genetic lines of excised tomato roots grown in culture, 335
LEHR, J. HARRY: Additions and corrections to a Flora of Rockland County, New York
Lejeunea, 188, 189, 190; *compacta*, 195; *mayebarae*, 195
Lemna, 466
Lepicolea fryei, 193
Lepidium latifolium, 140
Leptaulus daphnoides, 314
Leptochloa, 180
Leptospermum, 121
Lespedeza hirta, 408, 411; *tomentosa*, 411, 414
Leucaena glauca, 406; *tricodes*, 407, 408, 413
Lindera, 383
LIVERMAN, JAMES L.: Some effects of temperature on pollen characters, 136
Lonicera japonica, 74
Lophosiphonia, 63; *cristata*, 68; *obscura*, 64, 65, 68
Lupinus, 337; *albus*, 340; *polyphyllus*, 409
Lycopersicon esculentum, 136, 340, 437
Lycopodium, 1; *lucidulum*, 2
Lycurus, 180
Lygodium, 1; *palmatum*, 2, 3
Lysicarpus, 121
Lysimachia ciliata, 74
Lythraricae, 111
Maackia amurensis, 409
Macquerysia multiflora, 314
Macrolejeunea, 193, 194
Maculata, 484
Madia capitata, 140
Mangifera indica, 5, 97, 103
Marsilea, 1; *quadrifolia*, 2
MARTIN, WILLIAM E.: A partially annotated catalogue of vascular plants reported from Island Beach State Park, New Jersey, 368
MATHIAS, MILDRED E.: Two new *Eryngia* (Umbelliferae) from Santa Catarina, South Brazil, 255
Mathurina, 313, 323
MATZKE, EDWIN B.: 379
MCKEE, H. C.: Vegetation as a measure indicator of air pollution Part I. The pine (*Pinus-taeda*), 197
MCMAHON, RITA M.: Cytotaxonomic studies in the Leguminosae, 405
MCMANUS, SISTER MARY ANNUNCIATA, R.S.M.: In vivo studies of plasmogamy in *Ceratiomyxa*, 28
MEIER, DOROTHY: Observations on the relation of molds to the epidermis of the foot, 363
Melaleuca, 121
Melia Azederach, 72
Melica primaeva, 179, 180
Melicytus ramiflora, 329
Mentha arvensis, 73
Mesoptychia sahlbergii, 193
Metabourdotia, 10, 102, 103; *tahitiensis*, 9
Metrosideros, 112, 121; *augustifolia*, 122; *ornata*, 121; *parallelinervis*, 121; *parviflora*, 121
MICKEL, JOHN T. AND JAMES S. WILSON: Red nuclei in Smilacina fruits, 215
Microchloa, 180
Micromyrtus, 121; *ciliatus*, 121; *flaviflorus*, 121
Mimosa invisa, 405; *palmeri*, 408, 413; *pudica*, 405, 408, 411
MISRA, GADADHAR: Photoperiodic response of some newly evolved strains of wheat, 347
MOHLENBROCK, ROBERT H.: The *Stylosanthes biflora* complex, 341
MONACHINO, JOSEPH: *Elsholtzia ciliata* in New York, 139: Spotted violet of high Tor, 483
MONK, CARL D.: (Review), 276
MOUL, E. T.: (Review), 386
Muhlenbergia, 180; *florissanti*, 179
Mycogloea, 10; *carnosa*, 15; **Tahitiensis**, 6, 13, **15**
Myrsineae, 112
Naematelia cinnabarina, 100
Naematoloma, 324, 326
Nakaiomyces, 99
Nelumbo Nucifera, A naturalized stand of Indian lotus in New Jersey, 70
Nephrolepis cordifolia, 2; *exaltata* var. *bostoniensis*, 2
Neptunia plena, 413
Nestronia, 124
Nicotiana affinis, 272
Nigrospora oryzae, 401
Notes, 77, 219
Nothoscordum bivalve, 125
Obituary: Sam Farlow Trelease, 379; Alfred Gunderson, 484
OLIVE, LINDSAY S.: The lower basidiomycetes of Tahiti—I, 5; 89; DeBary bubbles in ascospores of *Sordoria fimicola*, 473

Orixa, 120
Orontium aquaticum, 124
Onoclea sensibilis, 2, 383
Oplismenus, 180
Osmunda, 1; *cinnamomea*, 2, 383; *Claytoniana*, 2, 383; *regalis*, 2, 383
Pandanus, 8, 24
Panicum, 180; *scoparium*, 140
PAPENFUSS, GEORGE F.: (Review), 143
Pappophorum, 180
Paramecium, 477
Parkinsonia, 411, 413, 414; *aculeata*, 408, 409, 413
Parmelia isidiata, 186
Parochetus communis, 408
Paspalum, 180
Patouillardina, 18, 19; *cinerea*, 18; var. **minor**, 6, **18**, 93
Pelargonium zonales, 137
Peltogyne paniculata, 408, 409, 414
Peltolejeunea, 193, 194
Peltophorum inerme, 408, 409, 414
Penicillium, 363, 365, 366, 367; *brevicauli*, 367; var. *hominis*, 367; *oxalicum*, 401
Peniophora, 10, 14
Penstemon, 466
Peperomia foliflora, 314; *haenkeana*, 314
Periqueta, 313, 319, 323; *caroliniana*, 317; *cistoides*, 314, 317, 319; *ovata*, 319; *tomentosa*, 314, 317, 319
Phalaris, 179, 180, 181; *angustata*, 180; *arundinacea*, 181; *californica*, 180; *Lemmoni*, 180; **primaeva**, *179*
Phlox bifida, 361
Pholita, 324
Pholiotina, 327; *villosa*, 140
Phaseolus lunatus, 409; *vulgaris*, 409
Phyllobotryum basiflorum, 314; *bracteatum*, 314; *spathulatum*, 313, 314; *zenkeri*, 314
Phylloclinium paradoxum, 314
Phyllonoma, 315, 321; *integerrina*, 314; *latiscuspis*, 314; *ruscifolia*, 314, 315, 321, 322
Physopella fici, 8
Picea glauca, 272
Pilea, 73; *fontana*, 73; *pumila*, 73, 74
Pinus palustris, 134; *taeda*, 197, 198; *virginiana*, 216
Piptadenia peregrina, 408, 409, 413
Piptanthus nepalensis, 409
Piptochaetium, 179, 180, 181; *fimbriatum*, 181; **florissanti**, *179*
Pisum sativum, 408, 411
Pithecolobium hystrix, 408, 409, 413
Plantago major, 129; *pusilla*, 125
Platygloea, 10, 11, 14, 15; *arrhytidiae*, 13; **fungicola**, 6, *11*, 13 var. **simplex**, *11*; javanica, 11; minima, 11; peniophorae, 11, 13
Platystemma violoides, 314
Pleurotus, 5
Poa, 179
Poinciana (Delonyx) *regia*, 405
Polycardia hilbrandtii, 314; *phyllanthoides*, 314
Polygonum, 218; *lapathifolium*, 70; *robustius*, 72
Polypodium phymatodes, 2; *Mandaianum*, 2; *polypodioides*, 2, 3
Polypogon, 180
Polysiphonia, 63, 67, 68, 69; **cokeri**, 66, *67*, 68; *decussata*, 68; *dichotoma*, 63, 64; *dictyurus*, 63; *exilis*, 67; *foetidissima*, 67; *howei*, 64, 65; **indigena**, *63*; **nathanielii**, *63*; *nigra*, 67; **tepida**, *65*, 66, 67
Polystichum acrostichoides, 2
Populus grandidentata, 73
Potentilla glandulosa, 40
Proceedings of the Club, 74, 140, 215
Protodontia, 18; *uda*, 94
PRATT, CHARLOTTE, JOHN EINSET AND ROBERT T. CLAUSEN: Embryology, breeding behavior and morphological characteristics of Apomictic, Triploid *Rubus Idaeus* L., 242
Prunus, 484; *pumila*, 383; var. *Besseyi*, 383; var. *cuneata*, 383; var. *depressa*, 383; var. *susquehanae*, 383
Pseudotremellodendron, 103
Psilochaeta, 89
Psilocybe, 324, 329, 332
Psilotum, 1, 231, 240, 241; *nudum*, 231, 232, 233, 234, 235, 236, 238, 239, 240, 241; *triquetrum*, 2, 241
Psiloxylon, 112, 113
Pteridium aquilinum, 383; *latiusculum*, 2, 3
Pteris vittata, 2
Puccinia kuehnii, 8
Pueraria javanica, 409
Pullularia, 365, 366, 367
Pycnolejeunea, 196
Quercus alba, 73; *coccinea*, 73; *ilicifolia*, 383; *palustris*, 73; *prinus*, 73; prinoides, 383; ruba, 73; stellata, 73; velutina, 73
Radula prolifera, 193
Ranunculaceae, 218
Ranunculus, 218
Reticularia lycoperdon, 29, 37
Rhizoctonia solani, 401

Rhizophora, 64
Rhizopus nigricans, 401
Rhododendron nudiflorum, 383, 384; *roseum*, 384
RICKETT, H. W.: Abbreviations of titles of serials cited by botanists, 277; (Review), 385; (Review), 491; (Review), 492
Robina fertilis, 409; *hartwigii*, 409; *pseudo-acacia*, 73
ROGERSON, CLARK T. (Review), 493
Rorippa indica, 140
Rosa humilis, 384
Rubus, 242, 251, 253, 254; *caesius*, 253; *idaeus*, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254; ssp. idaeus, *243*, 244, 245, 246, 249, 252, 253; ssp. *strigosus*, 243, 244, 245, 246, 249, 252, 253; *loganobaccus*, 254; *strigosus*, 242, 243, 244, 245, 246, 249, 252, 253; *phoenicolasius*, 73
Saccharomyces cerevisiae, 38
Saccharum officinale, 8
Salvinia, 1; *natans*, 2, 3
Sambuscus canadensis, 73
Sarcogyne similis, 182, 183, 184, 185, 187
Sarcosphaera ammophila, 140
Sargassum, 68
Sassafras, 73, 139
Scapania simmonsii, 193; *spitzbergensis*, 193
Schedonardus, 180
Scheuchzeria palustris, 71
Schrankia uncinata, 406, 407, 408, 411, 413
SCHUSTER, R. M. AND W. C. STEERE: **Hygrolejeunea Alaskana** Sp. N., A critical endemic of Northern Alaska, 188
SCHWARTEN, LAZELLA AND HAROLD W. RICKETT: Abbreviations of titles of serials cited by botanists, 277
SCHWARTEN, LAZELLA, 78, 146, 220, 277, 301, 387, 494
Scirpus robustus, 74
Scleropogon, 180
Sclerotium rolfsii, 397
Sebacina, 18, 89, 90, 91, 94, 95, 102; **aspera**, 21, 25, **26**; **candida**, 6, 19, 20, **21**, 22; *cinerea*, 21, 24; *cinerella* var. *trachyspora*, 27; *deminuta*, 24, 26; *dubia*, 21, 89, 90; *epigaea*, 27, 91; *eyrei*, 21, 24, 25; *farinacea*, 26; **fuliginea**, 90; *galzinii*, 23, 90; **gloeofilm**, 19, 20, **22**, 23, 90; helvelloides, 91; incrustans, 91; mesomorpha, 22; **minima**, 21, **89**, 90, 93; *molybdea*, 91; *mucedinea*, 6, 21, 23, 25; *obscura*, 89; *petiolata*, 21, 24, 103; *plumbescens*, 19, 22; *podlachica*, 19, 22, 91; *prolifera*, 91; **psilochaeta**, 89, 90; **punaauiae**, 21, 25, *26*; **spinosa**, 6, 21, 25, *27*; *sublilacina*, 22, 90, 91; **tenuis**, 19, 20, *21*; *variseptata*, 22, 90
Secotium, 333; *erythrocephalum*, 324, 325, 329; *lutescens*, 330; *novae-zelandiae*, 324; *subperbum*, 332, 333; *virescens*, 324, 332, 333
Sedum pulchellum, 125
Selaginella, 1, 421; *denticulata*, 2; *emmelina*, 2; *Kraussiana*, 2, 3; *pallescens*, 2; *rupestris*, 125; *Vogeli*, 2
Selina aurea, 125
Septobasidium alni, 8; *bogoriense*, 8
Sesbania aegyptica, 409
Setaria, 180; *Faberii*, 70
SHREWSBURY, C. L.: Vegetation as a measure indicator of air pollution Part I. The pine (*Pinus-Taeda*), 197
Silene cserei, 140; *stellata*, 72; var. *scabrella*, 72, 74
Sindora bruggemanniide, 408, 409, 414
SINGER, ROLF AND ALEXANDER H. SMITH: Studies of Secotiaceous Fungi III—The genus *Weraroa*, 324
Sirobasidium, 101; *brunneum*, 101; *indicum*, 101; *magnum*, 93, 101; *sanguineum*, 101; *Sisyrinchium angustifolium*, 384
SMALL, JOHN A. AND WILLIAM E. MARTIN: A partially annotated catalogue of vascular plants reported from Island Beach State Park, New Jersey, 368
Smilacina, 215; *amplexicaulis*, 215; *racemosa*, 215; *sessilifolia*, 215; *stellata*, 215
SMITH, ALEXANDER H.: Studies on secotiaceous fungi III. The genus *Weraroa*, 324
SNYDER, E. B.: Attempts to freeze-dry pine pollen for prolonged storage, 134
Solanum carolinense, 74; *nigrum*, 457; *sarachoides*, 140
Solidago bicolor, 74; *caesia*, 74; *memoralis*, 74; *sempervirens*, 40; *speciosa*, 74
Sonneratia, 121
Sophora japonica, 409; *viciifolia*, 409
Sordaria fimicola, 473
Sorghum, 54, 56, 57, 59, 60, 61, 62; *almum*, 49, 51, 53, 56, 57, 59, 60, 61, 62; *controversum*, 49, 50, 51, 53, 54, 61; *halepense*, 49, 50, 51, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62; *miliaceum*, 49, 50, 51, 53, 55, 57, 60, 61; *propinquum*, 49, 51, 53, 57, 59, 60, 61; *pugionifolium*, 59; *randolphianum*, 49; *roxburghii*, 57, 61;

stapfi, 59; *sudanense*, 53, 57, 58, 59, 61; *vulgare*, 57, 58, 59, 61, 62; var. *sudanense*, 61
Spinacia oleracea, 129
Sporidesmium folliculatum, 182, 187
Sporobolus, 180
Stachytarpheta, 8; *bogoriense*, 8
STEERE, W. C.: **Hygrolejeunea Alaskana** Sp. N., a critical endemic of Northern Alaska, 188
Stenolobium alni, 8; *stans*, 8
STERN, WILLIAM L. AND GEORGE H. BRIZICKY: The comparative anatomy and taxonomy of *Heteropxis*, 111
STEYERMARK, JULIAN A.: Another station for *Geocarpon minimum*, 124
Stipa, 179, 180, 181; *florrissanti*, 179
STORIE, R. EARL (Review), 75
Streptocarpus dunnii, 314; *galpini*, 314; *polyanthus*, 314; *saundersii*, 314; *wendlandii*, 314
Streptopetalum, 313, 323
Strombomonas, 216; *acuminata* var. **deflandriana**, 216; *ensifera* var. **pulcherrima**, 216
Stropharia, 324
Strophariodeae, 329
Stypella, 17
Stylosanthes, 341, 345; *biflora*, 341, 342, 343, 345; *elatior*, 341; *floridana*, 341, 345; *hispida*, 341; var. a) *erecta*, 341; var. *hispidissima*, 341; var. *nudiuscula*, 341; var. b) *procumbens*, 341; *riparia*, 344, 345; var. *setifera*, 341; f. *ochroleuca*, 341
Stypinella killermanni, 14
SUN, G. N.: Histological responses of soybean seedlings and morphological changes of mitochondria following treatment with Triethylamine, 2, 4, 5-Trichlorophenoxyacetate, 376
TAMAOKI, TAIKI AND ARNOLD J. ULLSTRUP: Cultivation in vitro of excised endosperm and meristem tissues of corn, 260
Tapura capitulifera, 314
Taxilejeunea, 188, 189, 190, 193, 194, 195, 196; *grandistipula*, 188
Tetrahymena, 161; *pyriformis*, 177
Tepualia stipularis, 122
Thaxterogaster, 328
Thermopsis caroliniana, 409
Thesaurus capensis, 111
Tilia Oliveri, 72
Tmesipteris, 239, 240
Torresia odorata, 180
Torreya, 70, 139, 215, 273, 368, 483
Tortula muralis, 383
TOWNSEND, G. FRED: A chemically induced protoplasmic shrinkage in cells of the yeast plant, 38
Trachelomonas, 216; *africana* var. **amphorula**, 216; *americana*, 217; *australica* var. *rectangularis* f. *invaginata*, 216; *denissi* var. *spahnicola*, 216; *euchlora* var. *parvula*, 216; *kufferathi* var. *producta*, 216; **lineata**, 216; **lychenensis**, 216 var. *meandrina*, 216; *reewijkiana*, 216; *rugulosa* var. *dangeardii* f. *inflexa*, 216; var. *dangeardii* f. *torquata*, 216; var. *meandrina*, 216; var. *semi-ornata*, 216; *spinosa*, 217; f. *torquata*, 216; *umbilicophora* var. *deflandrei*, 216
Trachylobium verrucosum, 408, 409, 414
Trachypogon, 180
Tradescantia, 362
Transeptia, 103
Tremella, 18, 94, 95, 99; **acaciae**, *97*; **boraborensis**, 9, 97, *98*; *carneoalba*, 97, 98; *cinnabarina*, 97, 98; *foliacea*, 100; *frondosa*, 97; *fuciformis*, 97, 99; *lutescens*, 100; *moriformis*, 97, 98; *mycophaga*, 21; *pululahuana*, 95; *rufobrunnea*, 97, 100; *samoensis*, 100; *simplex*, 21
Tremellodendron, 103
Tremellodendropsis, 103; *tuberosa*, 103
Trichachne, 180
Trichia varia, 33
Trichloris, 180
Trichoneura, 180
Trichophyton rubrum, 365, 366, 367
Tridens, 180
Trifolium album, 408; *biflorum*, 341
Trillium, 201, 202, 203, 205, 210, 212, 213, 214; *catesbaei*, 202, 203, 204, 212, 213; *cerum*, 202, 203, 206, 212, 213; *erectum*, 201, 214; *flexipes*, 202, 203, 208, 209, 212, 214; *grandiflorum*, 201; *ludovicianum*, 202, 203, 207, 212, 214; *luteum*, 201; *nivale*, 202, 203, 207, 208, 212, 214; *ovatum*, 202, 210, 211, 212, 213; *petiolatum*, 202, 209, 210, 211, 212, 213; *Vaseyi*, 202, 203, 204, 205, 206, 212, 214; Differential chromosome segments in eight species of, 201
Tripogon, 180
Tristania, 121
Triticum vulgare, 357
Tropaeolum majus, 462
Tulasnella, 102; *bifrons*, 102; *caroliniana*, 102; *guttulata*, 102; *pacifica*, 102; *violea*, 102

Turnera, 313, 314, 317, 319, 320, 321, 322, 323; *acuta*, 317, 319; *aphrodisiaca*, 314, 317, 319; *diffusa*, 314, 317, 319; *glabrescens*, 317, 319; *hassleriana*, 314, 317, 319; *melochioides*, 314, 317, 319; *mollis*, 314, 317, 319; odorata, 314, 317, 319; ovata, 317; pinnatifida, 314, 317, 319; pumilea, 314, 317; *ulmifolia*, 313, 314, 315, 317, 318, 319, 320, 321, 322; *weddelliana*, 314, 317, 319; *whitei*, 317, 319
ULLSTRUP, ARNOLD: Cultivation in vitro of excised endosperm and meristem tissues of corn, 260; A study of the nature of intraspecific aversion in *Diplodia Madis*, 397
Umbilicaria papulosa, 182, 186
Uromyces inocarfi, 8; *phaseoli vignae*, 8
Ustilago allii, 7
VAUGHN, EDWARD K (Book Review), 384
Viburnum acerifolium, 139, 140; *dentatum*, 73; *prunifolium*, 73
Vicia faba, 408; *villosa*, 411, 414
Vigna lutea, 8; *sesquipedalis*, 409
Viola Kitaibeliana var. *Rafinesquii*, 125
Viola cucullata, 483; *fimbriatula*, 483; *nephrophylla*, 483; *pubescense*, 483; *sororia* 483, 484; *triloba*, 483, 484
Vitis aestivalis var. *argentifolia*, 74
Volvox, 159
Weraroa, 324, 326, 327, 328; **erythrocephala**, 328, *329*, 330, 332, 333; erthrocephalum, 329; *novae-zelandiae*, 326, 328, 330, 332; **virescens**, 328, 330, *332*
Willkomia, 180
WILSON, JAMES S.: Red nuclei in Smilacina fruits, 215
Wisteria floribunda, 409; *frutescens*, 409; *sinensis*, 409
WITKUS, E. R.: Cytotaxonomic studies in the Leguminosae, 405
WOLF, FREDERICK T.: Chlorophylls A and B in the pteridophytes, 1; The separation of chloroplast pigments by unidimensional ascending paper chromatography, 128
Woodsia obtusa, 2
Woodwardia areolata, 2
Wormskioldia, 313, 323
Xanthium canadense, 136
Xanthoria parietina, 182, 186
Xanthostemon, 121
ZIMMERMAN, P. W. (Book Review), 274, 275
Zizyphus jujube, 72

74

rythroce-
; erthro-
326, 328,
332

Smilacina

ens, 409;

tudies in

ls A and
eparation
unidimen-
tography,

ew), 274,